# Vickers Laboratories Ltd - Safety Data Sheet

0164

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1 Revision date: 16 April 2021
Date printed: 03 February 2023

**Section 1. Identification** 

1.1 Product Identifier 0164

Product Name OIL OF TURPENTINE

CAS Number 8006-64-2

REACH Registration No 01-2119502456-45-XXXX

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier Vickers Laboratories Ltd

V I C K E R S

Grangefield Industrial Estate

Richardshaw Road

Pudsey

West Yorkshire

LS28 6OW

UNITED KINGDOM

 Phone
 44 0113 2362811

 Fax
 +44(0)113 2362703

 Email
 safety@viclabs.co.uk

 Website
 www.viclabs.co.uk

**1.4 Emergency Telephone** (08:00-16:30) +44(0) 113 2362811

(24hr) 112

(Have this document to hand)

# Section 2. Hazards Identification

### 2.1 Classification of the substance or mixture

### Classification according to regulation 1272/2008/EC

Flammable liquid, category 3

Acute toxicity, category 4 (oral)

Skin corrosion/irritation, category 2

Acute toxicity, category 4 (dermal)

H302: Harmful if swallowed.

H315: Causes skin irritation.

H312: Harmful in contact with skin.

Acute toxicity, category 4 (inhalation) H332: Harmful if inhaled.

Serious eye damage/irritation, category 2 H319: Causes serious eye irritation.

Aspiration hazard, category 1 H304: May be fatal if swallowed and enters airways. Hazard to aquatic environment, category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms









Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in Hazard Statements

contact with skin. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. Toxic to aquatic life

with long lasting effects.

Precautionary Statements Keep away from heat / sparks/open flames/hot surfaces - No smoking. Ground/bond container and receiving

equipment. Take precautionary measures against static discharge. Avoid release to the environment. Wear protective gloves / protective clothing / eye protection / face protection. IF SWALLOWED: Call a POISON

CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting.

# **Section 3. Composition**

### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Oil of turpentine 8006-64-2 232-350-7 01-2119502456-4		01-2119502456-45-XXXX	XX >99% Flam. Liq. 3,Acute Tox. 4 (O),Skin Irrit. 2,Acute (D),Acute Tox. 4 (I),Eye Irrit. 2,Asp. Tox. 1,Aq Chronic 2		

# Section 4. First Aid

### 4.1 Description of first aid measures

Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL Eyes

ATTENTION.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use.

Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If Inhalation

breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.

Ingestion Do not induce vomiting. OBTAIN MEDICAL ATTENTION URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

aiders

#### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

# Section 5. Fire Fighting

#### 5.1 Extinguishing media

Extinguishing Media Water spray, foam, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool.

Unsuitable Media Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazards Presents no specific fire danger.

### 5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

# Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate

area immediately. Do not allow general use of area until it is safe to do so. Beware: vapour is heavier than air and

will tend to accumulate at low spots.

### 6.2 Environmental precautions

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs.

#### 6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal.

Minor Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal.

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

# Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage. Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use.

#### 7.3 Specific end use(s)

See section 1.2.

# Section 8. Workplace Exposure & Personal Protection

#### 8.1 Control parameters

	Component	CAS No	Concentration	Workplace Exposure Limits			
				Long Term (8hr TWA)		Short Term 15min period)	
Ī	Oil of turpentine	8006-64-2	>99%	100.0 ppm	566.0 mg/m-3	150.0 ppm	850.0 mg/m-3

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

### 8.2 Exposure controls

maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus.

Hand Protection Use solvent resistant gloves.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

# Section 9. Physical & Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance Clear colourless liquid

Odour Pungent.
pH Not applicable
Boiling Point 153°C

Melting Point -55°C Not applicable Flash Point 36°C (Closed cup)

Upper Flammable Limit 6% Lower Flammable Limit 0.8% Auto Ignition Not applicable
Explosive Properties No data available.
Oxidising Properties No data available.
Vapour Pressure Not applicable
Relative Density Not available
Water Solubility Not available

#### 9.2 Other information

No data available.

# Section 10. Stability & Reactivity

10.1 Reactivity No data available.
10.2 Chemical Stability No data available.
10.3 Possibility of hazardous No data available.

reactions

10.4 Conditions to Avoid

Hot surfaces, naked flames or other sources of ignition.

10.5 Incompatable Materials Strong oxidising agents.10.6 Hazardous Decomposition No data available.

Products

# Section 11. Toxicological Information

#### 11.1 Information on toxicological effects

Eyes Causes serious eye irritation.

Skin Causes skin irritation. May cause an allergic skin reaction.

LD50 Skin Not available

Ingestion May be harmful if ingested in quantity. Aspiration during swallowing or vomiting may injure lungs.

LD50 Oral Not available

Inhalation Harmful if inhaled. Causes respiratory tract irritation.

LD50 Inhalation Not available
TCLo Not available
Carcinogenicity No data available.
Mutagenicity No data available.
Reproductive Effects No data available.

# Section 12. Ecological

**12.1** Toxicity Toxic to aquatic life with long lasting effects.

LC50 Algal Not available
LC50 Crustacea Not available
LC50 Fish Not available

**12.2** Persistence and degradability

No data available.

12.3 Bioaccumulative potential No data available.12.4 Mobility in soil No data available.

12.5 Results of PBT & vPvB

assessment

Assessment not required.

**12.6** Other adverse effects None known at present.

# Section 13. Disposal Considerations

#### 13.1 Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of

into water courses or sewerage systems due to high risk of explosion.

Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion. Contaminated Packaging

# **Section 14. Transport Information**

14.1 UN Number 1299

14.2 Proper Shipping Name Turpentine

14.3 Transport classes

UN classification Subsidiary hazard(s) None Transport category 3 ADR Hazard ID 30 **Tunnel Restriction Code** D/E 14.4 Packing Group

14.5 Environment hazards Marine pollutant.

14.6 Special precautions for No special precautions required.

14.7 Transport in bulk Not transported in bulk.





# Section 15. Regulatory Information

### 15.1 Safety, health and environment regulations specific for subtance/mixture.

### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Flammable liquid, category 3; Acute toxicity, category 4 (oral); Skin corrosion/irritation, category 2; Acute toxicity,

category 4 (dermal); Acute toxicity, category 4 (inhalation); Serious eye damage/irritation, category 2; Aspiration

hazard, category 1; Hazard to aquatic environment, category 2

Signal word Danger

Hazard Pictograms









Hazard Statements H226, H302, H304, H312, H315, H319, H332, H411

> Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. Toxic to aquatic life

with long lasting effects.

Precautionary Statements P210, P240, P243, P273, P280, P301+P312, P331

> Keep away from heat / sparks/open flames/hot surfaces - No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Avoid release to the environment. Wear protective gloves / protective clothing / eye protection / face protection. IF SWALLOWED: Call a POISON

CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting.

### 15.2 Chemical safety assessment

Assessment not required.

# Section 16. Other Information

Toxic to aquatic organisms.

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 03 February 2023

Copyright: 2023 Vickers Laboratories Ltd