Vickers Laboratories Ltd - Safety Data Sheet

0459

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1 Revision date: 16 April 2021 Date printed: 03 February 2023

Section 1. Identification

1.1 Product Identifier 0459

Product Name NAPHTHALENE POWDER pure

CAS Number 91-20-3

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

Molecular Formula C₁₀ H₈ =128.17

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier Vickers Laboratories Ltd

VICKERS

Grangefield Industrial Estate

Richardshaw Road

Pudsey

West Yorkshire LS28 6QW

UNITED KINGDOM

 Phone
 44 0113 2362811

 Fax
 +44(0)113 2362703

 Email
 safety@viclabs.co.uk

 Website
 www.viclabs.co.uk

1.4 Emergency Telephone (08:00-16:30) +44(0) 113 2362811

lhr) 11

(Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Acute toxicity, category 4 (oral)

Carcinogenicity, category 2

Hash 1: Suspected of causing cancer.

Hazard to aquatic environment, category 1

Hash 2: Harmful if swallowed.

Hash 2: Suspected of causing cancer.

Hash 2: Harmful if swallowed.

Hash 3: Harmful if swallowed.

Hash 4: Harmful if swallowed.

Hash 4: Harmful if swallowed.

Hash 4: Harmful if swallowed.

Hash 5: Harmful if swallowed.

Has

Hazard to aquatic environment, category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Warning

Hazard Pictograms







Hazard Statements Suspected of causing cancer. Harmful if swallowed. Very toxic to aquatic life with long lasting effects.

Precautionary Statements Obtain special instructions before use. Avoid release to the environment. Wear protective gloves / protective

clothing / eye protection / face protection. IF exposed or concerned: Get medical advice/attention.

Section 3. Composition

3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Napthalene	91-20-3	202-049-5		>99%	Acute Tox. 4 (O),Carc. 2,Aquatic Acute 1,Aquatic Chronic

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists

OBTAIN MEDICAL ATTENTION.

Skin Wash off skin thoroughly with water.

Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. OBTAIN MEDICAL ATTENTION Inhalation

URGENTLY

Wash out the patients mouth thoroughly with water. Do not induce vomiting. OBTAIN MEDICAL ATTENTION Ingestion

URGENTLY

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Alcohol resistant foam, dry powder, or carbon dioxide.

Unsuitable Media Nothing specified.

5.2 Special hazards arising from the substance or mixture

Hazards A flammable solid. Vapour-air mixtures are explosive.

5.3 Advice for firefighters

Advice for firefighters Fire-fighters should wear protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Avoid breathing vapour. Use approved personal protective equipment. Ensure no sources of ignition. Do not

allow other people to enter area. Do not allow general use of area until it is safe to do so.

6.2 Environmental precautions

Environmental Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage If molten allow to solidify first. Shovel/sweep up into container for removal Wash area down with detergent and

copious amounts of water.

Minor Spillage If molten allow to solidify first. Shovel/sweep up into container for removal Wash area down with detergent and

copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Protect from direct sun and store away from sources of ignition. Keep well separated from oxidising agents.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Concentration Workplace Exposure Limits				
			Long Term (8hr TWA)		Short Term 15min period)		
Napthalene	91-20-3	>99%	10.0 ppm	15.0 mg/m-3	50.0 ppm	75.0 mg/m-3	

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus.

Hand Protection Use solvent resistant gloves.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Fine white to pale yellow crystalline solid.

Odour Characteristic.
pH Not applicable
Boiling Point 218°C
Melting Point 79.6°C

Flash Point 78.9°C (Closed cup)

Upper Flammable Limit
Lower Flammable Limit
Auto Ignition
5.9%
0.9%
567°C

Explosive Properties Moderate/severe in confined spaces.

Oxidising Properties No.

Vapour Pressure Not applicable Relative Density 1.1620

Water Solubility Insoluble in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

Stable under normal conditions 10.2 Chemical Stability

10.3 Possibility of hazardous

reactions

No data available.

10.4 Conditions to Avoid Hot surfaces, naked flames or other sources of ignition.

10.5 Incompatable Materials Strong oxidising agents.

Hazardous Decomposition None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide.

Products

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes The vapour may be irritating to the eyes.

Repeated or prolonged contact may defat the skin producing irritation and dermatitis. May be absorbed through Skin

the skin.

LD50 Skin Not available

Ingestion Ingestion of large quantities may cause poisoning. Symptoms include nausea, vomiting, headaches, profuse

perspiration and optic neuritis.

LD50 Oral 490mg/kg Rat

Inhalation Prolonged exposure to vapour concentrations above the occupational exposure limits may cause toxic effects.

Symptoms include nausea, vomiting, headaches, profuse perspiration and optic neuritis.

LD50 Inhalation Not available **TCLo** Not available

Carcinogenicity Suspected of causing cancer. Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified.

Section 12. Ecological

12.1 Toxicity Very Toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment.

LC50 Algal Not available LC50 Crustacea Not available LC50 Fish Not available 12.2 Persistence and No data available.

degradability

No data available. 12.3 Bioaccumulative potential 12.4 Mobility in soil No data available.

Results of PBT & vPvB Assessment not required.

12.6 Other adverse effects

assessment

None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator. Do not dispose of as domestic waste.

Contaminated Packaging Use a licensed waste disposer.

Section 14. Transport Information

14.1 UN Number 1334

14.2 Proper Shipping Name Naphthalene, crude

14.3 Transport classes

UN classification 4.1
Subsidiary hazard(s) None
Transport category 3
ADR Hazard ID 40
Tunnel Restriction Code E

14.4 Packing Group III

14.5 Environment hazards See section 12.

14.6 Special precautions for

user

14.7 Transport in bulk Not transported in bulk.



 $15.1\ Safety, health\ and\ environment\ regulations\ specific\ for\ subtance/mixture.$

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Acute toxicity, category 4 (oral); Carcinogenicity, category 2; Hazard to aquatic environment, category 1; Hazard to

aquatic environment, category 1

No special precautions required.

Signal word Warning

Hazard Pictograms







Hazard Statements H351, H302, H410

Suspected of causing cancer. Harmful if swallowed. Very toxic to aquatic life with long lasting effects.

Precautionary Statements P201, P273, P280, P308+P313

Obtain special instructions before use. Avoid release to the environment. Wear protective gloves / protective clothing / eye protection / face protection. IF exposed or concerned: Get medical advice/attention.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 03 February 2023

Copyright: 2023 Vickers Laboratories Ltd