# Vickers Laboratories Ltd - Safety Data Sheet

0555

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1 Revision date: 16 April 2021 Date printed: 03 February 2023

Section 1. Identification

1.1 Product Identifier 0555

Product Name NITAL ETCH SOLUTION 2% v/v

CAS Number Mixture

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier Vickers Laboratories Ltd

VICKERS
LABORATORIES

Grangefield Industrial Estate

Richardshaw Road

Pudsey West Yorkshire LS28 6QW

UNITED KINGDOM

 Phone
 44 0113 2362811

 Fax
 +44(0)113 2362703

 Email
 safety@viclabs.co.uk

 Website
 www.viclabs.co.uk

**1.4** Emergency Telephone (08:00-16:30) +44(0) 113 2362811

(24hr) 112

(Have this document to hand)

### Section 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

#### Classification according to regulation 1272/2008/EC

Flammable liquid, category 2 H225: Highly flammable liquid and vapour.

Acute toxicity, category 3 (oral)

Acute toxicity, category 3 (dermal)

Acute toxicity, category 3 (inhalation)

Skin corrosion/irritation, category 2

Serious eye damage/irritation, category 2

H319: Causes serious eye irritation.

H310: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Spec target organ tox - single, category 1 H370: Causes damage to organs.

#### 2.2 Label elements

#### Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms







Highly flammable liquid and vapour. Toxic if swallowed, inhaled and in contact with skin. Causes damage to eyes & central nervous system. Causes skin irritation. Causes serious eye irritation. Hazard Statements

**Precautionary Statements** Keep away from heat / sparks/open flames/hot surfaces - No smoking. Wear protective gloves / protective

clothing / eye protection. Do not breathe fume/vapours. Do not eat, drink or smoke when using this product. Store

in a well ventilated place. Keep cool. Keep container tightly closed.

# Section 3. Composition

#### 3.2 Mixtures

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Methanol	67-56-1	200-659-6	01-2119433307-44-XXXX	~98%	Flam. Liq. 2,Acute Tox. 3 (O),Acute Tox. 3 (D),Acute Tox. 3 (I),STOT SE 1
Nitric acid	7697-37-2	231-714-2	01-2119487297-23-XXXX	~2%	Ox. Liq. 3,Skin Corr. 1A,Acute Tox. 3 (I)

# Section 4. First Aid

#### 4.1 Description of first aid measures

Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL Eyes

ATTENTION.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use.

Inhalation Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If

breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. If there is difficulty in breathing give oxygen

if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

# **Section 5. Fire Fighting**

#### 5.1 Extinguishing media

Extinguishing Media Water spray, alcohol resistant foam, dry powder or carbon dioxide. Use water spray to keep fire exposed

containers cool.

Unsuitable Media Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

Hazards Vapour-air mixtures are explosive.

### 5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

# Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate

area immediately. Do not allow general use of area until it is safe to do so.

#### **6.2 Environmental precautions**

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs.

#### 6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with

copious amounts of water.

Minor Spillage Contain and absorb on inert material. Transfer absorbent to container for removal. Allow solvent to evaporate in

remote area, then dispose of absorbent as solid chemical waste. Wash area down with copious amounts of water.

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

# Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

#### 7.3 Specific end use(s)

See section 1.2.

# Section 8. Workplace Exposure & Personal Protection

### 8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits					
			Long Term (8hr TWA)		Short Term 15min period)			
Methanol	67-56-1	~98%	200.0 ppm	266.0 mg/m-3	250.0 ppm	333.0 mg/m-3		
Nitric acid	7697-37-2	~2%	-	=	1.0 ppm	2.8 mg/m-3		

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

### 8.2 Exposure controls

maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus.

Hand Protection Use solvent resistant gloves.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

### Section 9. Physical & Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance Clear colourless liquid. Odour Fresh and characteristic.

pH <1

64.8 °C **Boiling Point** -97.8 °C Melting Point

12 °C (Closed cup) Flash Point

Upper Flammable Limit 36.5% Lower Flammable Limit 6% Auto Ignition 385 °C

**Explosive Properties** Moderate/severe in confined spaces.

Oxidising Properties

Vapour Pressure 100 mmHg @ 20 °C

Relative Density 0.802

Water Solubility Completely miscible in water.

#### 9.2 Other information

No data available.

# Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous No data available.

reactions

10.4 Conditions to Avoid

Hot surfaces, naked flames or other sources of ignition.

**10.5** Incompatable Materials Bromine. Sodium hypochlorite, diethyl zinc, dialkylaluminium solutions, and phosphorous trioxide. Nitric acid,

hydrogen peroxide, sodium and chloroform and potassium tertiary butoxide. Lead perchlorate.

10.6 **Hazardous Decomposition** 

Products

None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide.

# **Section 11. Toxicological Information**

#### 11.1 Information on toxicological effects

Eyes Both the vapour and liquid are, very dangerous to the eyes since methanol has a specific effect on the optic nerve

and retina.

Repeated exposure may cause dermatitis. Many of the effects typical of the vapour can result from absorbtion Skin

through the skin.

LD50 Skin 17100 mg/Kg Rabbit

Ingestion Ingestion will cause symptoms resembling those of alcoholic intoxication ie excitation and irritability. After a

latent period of 10-15 hours more serious damage to the central nervous system especially to the optic nerve

occurs. Even if death does not occur permanent blindness may occur.

LD50 Oral 1187-2769 mg/Kg Rat

Inhalation Exposure to vapour concentrations above the occupational exposure limits may cause headache, nausea, vomiting

and irritation of the mucous membranes. High concentrations of vapour may damage the central nervous system and cause blindness. Due to the slow metabolism of the toxic metabolites formic acid and formaldehyde the

effects can be cumulative and continued exposure to low levels may cause the above effects.

LD50 Inhalation 128.2 mg/L Rat (4 hours)

TCLo Not available

Carcinogenicity Not considered to be a carcinogen. Mutagenicity Not considered to be a mutagen.

Reproductive Effects High vapour concentrations (10000 ppm) caused increased congenital malformations.

### Section 12. Ecological

12.1 Toxicity Substantially biodegradable in water, biological oxygen demand (B.O.D.) 5 day 70%. No evidence of inhibition

to the aerobic treatment process at 39500mg/l but evidence of inhibition occurs at concentrations greater than

79000mg/l.

LC50 Algal Not available

LC50 Crustacea >10000 mg/L Daphnia magna (96 hours)

LC50 Fish 15400 mg/L Bluegill (Lepomis macrochirus) (96 hours) **12.2** Persistence and degradability

No data available.

**12.3** Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

assessment

Results of PBT & vPvB Assessment not required.

**12.6** Other adverse effects

None known at present.

# **Section 13. Disposal Considerations**

#### 13.1 Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of

into water courses or sewerage systems due to high risk of explosion.

Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion. Contaminated Packaging

# **Section 14. Transport Information**

1230

П

14.1 UN Number

14.2 Proper Shipping Name Methanol

14.3 Transport classes

UN classification 3 Subsidiary hazard(s) 6.1 Transport category 2 ADR Hazard ID 336 **Tunnel Restriction Code** D/F

14.4 Packing Group

14.5 Environment hazards See section 12.

14.6 Special precautions for

14.7 Transport in bulk

No special precautions required.

Not transported in bulk.



### Section 15. Regulatory Information

# 15.1 Safety, health and environment regulations specific for subtance/mixture.

#### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Flammable liquid, category 2; Acute toxicity, category 3 (oral); Acute toxicity, category 3 (dermal); Acute toxicity,

category 3 (inhalation); Skin corrosion/irritation, category 2; Serious eye damage/irritation, category 2; Spec target

organ tox - single, category 1

Signal word Danger

Hazard Pictograms







Hazard Statements H225, H301+H311+H331, H370, H315, H319

> Highly flammable liquid and vapour. Toxic if swallowed, inhaled and in contact with skin. Causes damage to eyes & central nervous system. Causes skin irritation. Causes serious eye irritation.

Precautionary Statements P210, P280, P260, P270, P403+P235, P233

> Keep away from heat / sparks/open flames/hot surfaces - No smoking. Wear protective gloves / protective clothing / eye protection. Do not breathe fume/vapours. Do not eat, drink or smoke when using this product. Store in a well ventilated place. Keep cool. Keep container tightly closed.

# 15.2 Chemical safety assessment

Assessment not required.

# Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 03 February 2023

Copyright: 2023 Vickers Laboratories Ltd