# Vickers Laboratories Ltd - Safety Data Sheet

1428

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 2.1 Revision date: 16 April 2021
Date printed: 03 February 2023

## **Section 1. Identification**

1.1 Product Identifier 1428

Product Name SODIUM SILICATE POWDER pure

CAS Number 1344-09-8

REACH Registration No 01-2119448725-31-XXXX

### 1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

#### 1.3 Supplier Vickers Laboratories Ltd



Grangefield Industrial Estate

Richardshaw Road

Pudsey

West Yorkshire

LS28 6OW

UNITED KINGDOM

 Phone
 44 0113 2362811

 Fax
 +44(0)113 2362703

 Email
 safety@viclabs.co.uk

 Website
 www.viclabs.co.uk

**1.4 Emergency Telephone** (08:00-16:30) +44(0) 113 2362811

(24hr) 112

(Have this document to hand)

## Section 2. Hazards Identification

### 2.1 Classification of the substance or mixture

### Classification according to regulation 1272/2008/EC

Skin corrosion/irritation, category 2
H315: Causes skin irritation.
Serious eye damage/irritation, category 1
H318: Causes serious eye damage.
H318: Causes serious eye damage.
H335: May cause respiratory irritation.

#### 2.2 Label elements

### Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms





Hazard Statements Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

**Precautionary Statements** 

Do not breathe fume/vapours. Wash thoroughly after handling. Wear protective gloves / protective clothing / eye protection. Use only outdoors or in a well-ventilated area. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well ventilated place. Keep container tightly closed.

## **Section 3. Composition**

#### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Sodium silicate	1344-09-8	215-687-4	01-2119448725-31-XXXX	100%	Skin Irrit. 2,Eye Dam. 1,STOT SE 3 (I)

## Section 4. First Aid

#### 4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists

OBTAIN MEDICAL ATTENTION.

Skin Wash off skin thoroughly with water.

Inhalation Remove from exposure.

Ingestion Wash out the patients mouth thoroughly with water. In severe cases or if exposure has been great, OBTAIN

MEDICAL ATTENTION.

Personal protection for first Wear protective gloves / eye protection.

aiders

#### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

## Section 5. Fire Fighting

#### 5.1 Extinguishing media

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

#### 5.2 Special hazards arising from the substance or mixture

Hazards May evolve toxic fumes if involved in a fire.

### 5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

## Section 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Presents no major hazards.

### 6.2 Environmental precautions

Environmental Presents no major environmental hazard.

### 6.3 Methods and material for containment and cleaning up

Major Spillage Shovel/sweep up into container for removal Wash area down with copious amounts of water.

Minor Spillage Wash area down with copious amounts of water.

### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

## Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage.

#### 7.3 Specific end use(s)

See section 1.2.

## Section 8. Workplace Exposure & Personal Protection

#### 8.1 Control parameters

l	Component	CAS No	Concentration	Workplace Ex		posure Limits	
				Long Term (8hr TWA)		Short Term 15min period)	
1	Sodium silicate	1344-09-8	100%	-	-	-	-

Exposure data source(s) No occupational exposure data currently available.

#### 8.2 Exposure controls

Respiratory Protection If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.

Hand Protection Wear gloves.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

## Section 9. Physical & Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance White crystalline powder.
Odour No specific odour.
pH 12 @ 20°C solution.

Boiling Point Not available

Melting Point 730 - 870 °C (flow point)

Flash Point Not applicable
Upper Flammable Limit Not applicable
Lower Flammable Limit Not applicable
Auto Ignition Not applicable

Explosive Properties No. Oxidising Properties No.

Vapour Pressure Not applicable

Relative Density 1.000

Water Solubility Slightly soluble in water.

### 9.2 Other information

No data available.

## Section 10. Stability & Reactivity

**10.1** Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

**10.3** Possibility of hazardous

reactions

No data available.

**10.4** Conditions to Avoid No specific conditions.

**10.5** Incompatable Materials No specific materials to avoid.

10.6 Hazardous Decomposition May produce hazardous fumes if involved in a fire.

**Products** 

## Section 11. Toxicological Information

#### 11.1 Information on toxicological effects

Eyes Causes eye irritation and may cause burns if contact is prolonged

Skin Causes skin irritation.

LD50 Skin Not available

Ingestion Ingestion will cause gastrointestinal irritation.

LD50 Oral Not available

Inhalation Inhalation of dust will produce irritation of the eyes, nose, throat and respiratory tract.

LD50 Inhalation Not available TCLo Not available

Carcinogenicity Not considered to be a carcinogen.

Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified.

## Section 12. Ecological

**12.1** Toxicity No specific environmental hazard.

LC50 Algal Not available
LC50 Crustacea Not available
LC50 Fish Not available

**12.2** Persistence and No data available.

degradability

12.3 Bioaccumulative potential No data available.12.4 Mobility in soil No data available.

**12.5** Results of PBT & vPvB Assessment not required.

assessment

**12.6** Other adverse effects None known at present.

## Section 13. Disposal Considerations

### 13.1 Waste treatment methods

Disposal Methods Do not dispose of as domestic waste.

Contaminated Packaging Wash out containers with water.

## **Section 14. Transport Information**

**14.1 UN Number** 3253

14.2 Proper Shipping Name Disodium trioxosilicate

14.3 Transport classes

UN classification 8
Subsidiary hazard(s) None
Transport category 3
ADR Hazard ID 80
Tunnel Restriction Code E

14.4 Packing Group III

**14.5 Environment hazards** See section 12.

14.6 Special precautions for

**14.7 Transport in bulk** Not transported in bulk.



## Section 15. Regulatory Information

## $15.1\ Safety, health\ and\ environment\ regulations\ specific\ for\ subtance/mixture.$

### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

No special precautions required.

Classification Skin corrosion/irritation, category 2; Serious eye damage/irritation, category 1; Spec target organ tox - single,

category 3

Signal word Danger

Hazard Pictograms





Hazard Statements H315, H318, H335

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Precautionary Statements P260, P264, P280, P271, P303+P361+P353, P403+P233

Do not breathe fume/vapours. Wash thoroughly after handling. Wear protective gloves / protective clothing / eye protection. Use only outdoors or in a well-ventilated area. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well ventilated place. Keep container tightly

closed

### 15.2 Chemical safety assessment

Assessment not required.

## **Section 16. Other Information**

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 2.1 (Supercedes revision 2.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 03 February 2023

Copyright: 2023 Vickers Laboratories Ltd