

Revision: 1.2

Revision date:

16 April 2021

Date printed:

03 February 2023

Section 1. Identification

1.1 Product Identifier 2231

Product Name ETHYL ACETATE HPLC

CAS Number 141-78-6

REACH Registration No 01-2119475103-46-XXXX

Molecular Formula $\text{CH}_3\text{COOC}_2\text{H}_5$ =88.11

1.2 Relevant identified uses of the substance or mixture & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier Vickers Laboratories Ltd



Grangefield Industrial Estate
Richardshaw Road
Pudsey
West Yorkshire
LS28 6QW
UNITED KINGDOM

Phone 44 0113 2362811
Fax +44(0)113 2362703
Email safety@viclabs.co.uk
Website www.viclabs.co.uk

1.4 Emergency Telephone (08:00-16:30) +44(0) 113 2362811 (24hr) 112 (Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Flammable liquid, category 2

Serious eye damage/irritation, category 2

Spec target organ tox - single, category 3

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms



Hazard Statements Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary Statements Keep away from heat / sparks/open flames/hot surfaces - No smoking. Wear protective gloves / protective clothing / eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well ventilated place. Keep cool.

Section 3. Composition

3.1 Substances

| Component | CAS No. | EEC No. | REACH No. | Conc w/w | CLP Classification (1272/2008/CE) |
|---------------|----------|-----------|-----------------------|----------|---|
| Ethyl acetate | 141-78-6 | 205-500-4 | 01-2119475103-46-XXXX | >99% | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3 (D) |

Section 4. First Aid

4.1 Description of first aid measures

| | |
|--------------------------------------|---|
| Eyes | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION. |
| Skin | Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. |
| Inhalation | Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Ingestion | If conscious give plenty of water to drink. Do not induce vomiting. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Personal protection for first aiders | Wear protective gloves / eye protection. |

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

| | |
|---------------------|--|
| Extinguishing Media | Water spray, alcohol resistant foam, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool. |
| Unsuitable Media | Do not use water jet. |

5.2 Special hazards arising from the substance or mixture

| | |
|---------|------------------------------------|
| Hazards | Vapour-air mixtures are explosive. |
|---------|------------------------------------|

5.3 Advice for firefighters

| | |
|-------------------------|--|
| Advice for firefighters | Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus. |
|-------------------------|--|

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

| | |
|---------------------|---|
| Personal Protection | Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate area immediately. Do not allow general use of area until it is safe to do so. Beware : vapour is heavier than air and will tend to accumulate at low spots. |
|---------------------|---|

6.2 Environmental precautions

| | |
|---------------|--|
| Environmental | Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs. |
|---------------|--|

6.3 Methods and material for containment and cleaning up

| | |
|----------------|--|
| Major Spillage | Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water. |
| Minor Spillage | Contain and absorb on inert material. Transfer absorbent to container for removal. Allow solvent to evaporate in remote area, then dispose of absorbent as solid chemical waste. Wash area down with copious amounts of water. |

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

| Component | CAS No | Concentration | Workplace Exposure Limits | | | |
|---------------|----------|---------------|---------------------------|-------------------------|-----------|---------------|
| | | | Long Term (8hr TWA) | Short Term 15min period | | |
| Ethyl acetate | 141-78-6 | >99% | 200.0 ppm | 734.0 mg/m-3 | 400.0 ppm | 1468.0 mg/m-3 |

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

| | |
|------------------------|---|
| Respiratory Protection | Use L.E.V. or natural ventilation to maintain vapour concentrations below exposure limits. If not, use a well maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus. |
| Hand Protection | Use solvent resistant gloves. |
| Eye Protection | Use tightly fitting chemical splash proof glasses or goggles. |
| Skin Protection | Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn. |
| Special Hazards | No special precautions required. |

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

| | |
|-----------------------|----------------------------|
| Appearance | Clear colourless liquid. |
| Odour | Pleasant sweet odour. |
| pH | Not applicable |
| Boiling Point | 76.9 °C |
| Melting Point | -84.15 °C |
| Flash Point | -4.2 °C (Closed cup) |
| Upper Flammable Limit | 11.5% |
| Lower Flammable Limit | 2.2% |
| Auto Ignition | 46.9 °C |
| Explosive Properties | Severe in confined spaces. |
| Oxidising Properties | No. |
| Vapour Pressure | 10.3 kPa @ 21 °C |
| Relative Density | 0.9007 |

Water Solubility 80 g/L

9.2 Other information

No data available.

Section 10. Stability & Reactivity

| | | |
|------|------------------------------------|--|
| 10.1 | Reactivity | No data available. |
| 10.2 | Chemical Stability | Stable under normal conditions |
| 10.3 | Possibility of hazardous reactions | No data available. |
| 10.4 | Conditions to Avoid | Hot surfaces, naked flames or other sources of ignition. |
| 10.5 | Incompatible Materials | Strong oxidising agents. Potassium t-butoxide. |
| 10.6 | Hazardous Decomposition Products | None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide. |

Section 11. Toxicological Information

11.1 Information on toxicological effects

| | |
|----------------------|--|
| Eyes | High concentrations of vapour may be irritating to the eyes. |
| Skin | Repeated or prolonged contact may defat the skin producing irritation and dermatitis. Unlikely to be absorbed across the skin in harmful amounts. |
| LD50 Skin | >20000 mg/Kg Rabbit |
| Ingestion | Low order of acute toxicity. Ingestion of large amounts will produce central nervous system depression. Symptoms may include nausea, vomiting muscular incoordination and loss of consciousness. |
| LD50 Oral | 12000 mg/Kg Rat |
| Inhalation | Exposure to vapour concentrations above the occupational exposure limits may produce irritation of the eyes and respiratory tract. High concentrations of vapour may produce central nervous system depression and unconsciousness. Symptoms will be similar to those following ingestion. |
| LD50 Inhalation | >6000 ppm Rat |
| TCLo | Not available |
| Carcinogenicity | Not considered to be a carcinogen. |
| Mutagenicity | Not considered to be a mutagen. |
| Reproductive Effects | None identified. |

Section 12. Ecological

| | | |
|------|----------------------------------|--|
| 12.1 | Toxicity | Readily bio-degraded in the environment. Material is practically non-toxic to fish on an acute basis (LC50 > 100mg/l). |
| | LC50 Algal | 5600 mg/L Green algae |
| | LC50 Crustacea | 165 mg/L Daphnia |
| | LC50 Fish | 230 mg/L Fish |
| 12.2 | Persistence and degradability | No data available. |
| 12.3 | Bioaccumulative potential | No data available. |
| 12.4 | Mobility in soil | No data available. |
| 12.5 | Results of PBT & vPvB assessment | Assessment not required. |
| 12.6 | Other adverse effects | None known at present. |

Section 13. Disposal Considerations

13.1 Waste treatment methods

- Disposal Methods Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of into water courses or sewerage systems due to high risk of explosion.
- Contaminated Packaging Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion.

Section 14. Transport Information

- 14.1 UN Number 1173
- 14.2 Proper Shipping Name Ethyl acetate
- 14.3 Transport classes
- UN classification 3
- Subsidiary hazard(s) None
- Transport category 2
- ADR Hazard ID 33
- Tunnel Restriction Code D/E
- 14.4 Packing Group II
- 14.5 Environment hazards See section 12.
- 14.6 Special precautions for user No special precautions required.
- 14.7 Transport in bulk Not transported in bulk.



Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for substance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Flammable liquid, category 2; Serious eye damage/irritation, category 2; Spec target organ tox - single, category 3

Signal word Danger

Hazard Pictograms



Hazard Statements H225, H319, H336
Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary Statements P210, P280, P305+P351+P338, P337+P313, P303+P361+P353, P403+P235
Keep away from heat / sparks/open flames/hot surfaces - No smoking. Wear protective gloves / protective clothing / eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well ventilated place. Keep cool.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.2 (Supersedes revision 1.1)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 03 February 2023

Copyright: 2023 Vickers Laboratories Ltd