# Vickers Laboratories Ltd - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1 Revision date: 16 April 2021 Date printed: 03 February 2023

**Section 1. Identification** 

1.1 Product Identifier 3210

Product Name MERCURIC THIOCYANATE

CAS Number 592-85-8

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

Molecular Formula Hg(SCN)<sub>2</sub> = 316.74

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

**1.3 Supplier** Vickers Laboratories Ltd

VICKERS

Grangefield Industrial Estate

Richardshaw Road

Pudsey

West Yorkshire LS28 6QW

UNITED KINGDOM

 Phone
 44 0113 2362811

 Fax
 +44(0)113 2362703

 Email
 safety@viclabs.co.uk

 Website
 www.viclabs.co.uk

**1.4 Emergency Telephone** (08:00-16:30) +44(0) 113 2362811

hr) 11

(Have this document to hand)

### Section 2. Hazards Identification

### 2.1 Classification of the substance or mixture

### Classification according to regulation 1272/2008/EC

Acute toxicity, category 1 (dermal)

Acute toxicity, category 2 (oral)

Acute toxicity, category 2 (inhalation)

H300: Fatal if swallowed.

H330: Fatal if inhaled.

Spec target organ tox - repeat, category 2 H373: May cause damage to organs through prolonged or repeated exposure.

Hazard to aquatic environment, category 1 H400: Very toxic to aquatic life.

Hazard to aquatic environment, category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms







Fatal if swallowed. Fatal if inhaled. Fatal in contact with skin. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Hazard Statements

**Precautionary Statements** Do not breathe dust. Wear protective gloves / protective clothing. Do not get in eyes, on skin, or on clothing. IF

SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or you feel unwell: Call a POISON CENTER or

doctor/physician.

Supplemental Hazard

Information (EU)

Contact with acids liberates very toxic gas.

### Section 3. Composition

#### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Mercury thiocyanate	592-85-8	209-773-0		>99.9%	Acute Tox. 1 (D), Acute Tox. 2 (O), Acute Tox. 2 (I), STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1

### **Section 4. First Aid**

#### 4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. Unless contact has been

slight OBTAIN MEDICAL ATTENTION

Skin Wash off skin thoroughly with water. OBTAIN MEDICAL ATTENTION.

Inhalation Remove from exposure. Keep warm and at rest. OBTAIN MEDICAL ATTENTION.

Wash out the patients mouth thoroughly with water. OBTAIN MEDICAL ATTENTION URGENTLY. Ingestion

Personal protection for first Wear protective gloves / eye protection.

aiders

#### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

### Section 5. Fire Fighting

#### 5.1 Extinguishing media

Extinguishing Media Consider what other flammable materials are present and act accordingly. Use water spray to keep fire exposed

containers cool.

Nothing specified. Unsuitable Media

### 5.2 Special hazards arising from the substance or mixture

Hazards May evolve toxic fumes if involved in a fire.

### 5.3 Advice for firefighters

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear Advice for firefighters

protective clothing and breathing apparatus.

### Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Avoid breathing vapour. Evacuate area immediately. Use approved personal protective equipment. Do not allow

other people to enter area. Do not allow general use of area until it is safe to do so.

#### 6.2 Environmental precautions

Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental

Environmental Health Officer if major spillage occurs.

#### 6.3 Methods and material for containment and cleaning up

Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable container for disposal. Carry out this operation under fume extraction. Wash area down with copious amounts of Major Spillage

Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable Minor Spillage

container for disposal. Carry out this operation under fume extraction. Wash area down with copious amounts of

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

### Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations to a minimum.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage.

#### 7.3 Specific end use(s)

See section 1.2.

### Section 8. Workplace Exposure & Personal Protection

### 8.1 Control parameters

ſ	Component	CAS No	Concentration	Workplace Exposure Limits			
L				Long Term	(8hr TWA)	Short Term 15min period)	
	Mercury thiocyanate	592-85-8	>99.9%	-	-	0.025 ppm -	

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

#### 8.2 Exposure controls

Respiratory Protection Use L.E.V. or natural ventilation to maintain vapour concentrations below exposure limits. If not, use a well

Ref: 3210

maintained chemical cartridge respirator, or use self contained breathing apparatus.

Hand Protection Wear gloves.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Avoid contact with skin.

Special Hazards No special precautions required.

### Section 9. Physical & Chemical Properties

# 9.1 Information on basic physical and chemical properties

White crystalline solid. Appearance Odour No specific odour. pΗ Not applicable 302°C **Boiling Point** 

276°C Melting Point

Flash Point Not applicable Not applicable Upper Flammable Limit Lower Flammable Limit Not applicable Not applicable Auto Ignition

**Explosive Properties** No.

Oxidising Properties No.

Vapour Pressure Not applicable Relative Density Not available 7.4%

Water Solubility

#### 9.2 Other information

No data available.

### Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

No data available. **10.3** Possibility of hazardous

reactions

10.4 Conditions to Avoid No specific conditions.

10.5 Incompatable Materials Forms explosive compounds with ammonia, acetylenic compounds, azides and ethylene oxide.

10.6 Hazardous Decomposition Decomposes to emit highly toxic fumes of mercury.

## Section 11. Toxicological Information

#### 11.1 Information on toxicological effects

Contact with the solid or solution may be irritating to the eyes. Eyes

Skin Contact with the solid or solution may be irritating to the skin. Very toxic in contact with skin.

LD50 Skin 5 mg/Kg

Toxic if swallowed. Chronic poisoning leads inflammation of mouth and gums, excessive salivation, loosening of Ingestion

teeth, kidney damage, muscle tremors, jerky gait, and spasms of extremities. Personality changes may occur

including, depression, irritability and nervousness.

LD50 Oral 46 mg/Kg Rat

Inhalation Very toxic by inhalation.

LD50 Inhalation Not available **TCLo** Not available

Carcinogenicity Has been found to cause cancer in laboratory animals.

Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified.

### Section 12. Ecological

Mercury and its compounds are highly toxic to the environment. Very Toxic to aquatic organisms and may cause 12.1 Toxicity

long term adverse effects in the aquatic environment.

LC50 Algal 0.162 mg/L Algae (96 hours)

LC50 Crustacea 0.0052 mg/L Daphnia magna (48 hours) LC50 Fish 0.15 mg/L Fathead Minnow (96 hours)

12.2 Persistence and

degradability

No data available.

12.3 Bioaccumulative potential No data available. **12.4** Mobility in soil No data available.

12.5 Results of PBT & vPvB

Assessment not required.

assessment

Ref: 3210

### **Section 13. Disposal Considerations**

#### 13.1 Waste treatment methods

Disposal Methods Add a mixture of equal amounts of slaked lime (calcium hydroxide) and flowers of sulphur wetted with enough

water to form a thin paste prior to disposal via an authorised toxic waste service.

### **Section 14. Transport Information**

**14.1 UN Number** 1646

14.2 Proper Shipping Name Mercury thiocyanate

14.3 Transport classes

UN classification 6.1
Subsidiary hazard(s) None
Transport category 2
ADR Hazard ID 60
Tunnel Restriction Code D/E

14.4 Packing Group II

**14.5 Environment hazards** See section 12.

**14.6 Special precautions for** No special precautions required.

user

**14.7 Transport in bulk** Not transported in bulk.

### Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Acute toxicity, category 1 (dermal); Acute toxicity, category 2 (oral); Acute toxicity, category 2 (inhalation); Spec

target organ tox - repeat, category 2; Hazard to aquatic environment, category 1; Hazard to aquatic environment,

TOXIC

category 1

Signal word Danger

Hazard Pictograms







Hazard Statements H300, H330, H310, H373, H400, H410

Fatal if swallowed. Fatal if inhaled. Fatal in contact with skin. May cause damage to organs through prolonged or

repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary Statements P260, P280, P262, P301+P330+P331, P304+P340, P309+P311

Do not breathe dust. Wear protective gloves / protective clothing. Do not get in eyes, on skin, or on clothing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or you feel unwell: Call a POISON CENTER or

doctor/physician.

Supplemental Hazard Information (EU)

EUH032

Contact with acids liberates very toxic gas.

#### 15.2 Chemical safety assessment

Assessment not required.

# Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 03 February 2023

Copyright: 2023 Vickers Laboratories Ltd